

## ASSEMBLY INSTRUCTIONS

# MULTI-FIT FRONT BASKET

### 2-PIECE ADJUSTABLE LEGS

- Fits most bicycles with 700c, 26", 24" & 20" wheels

### EXTENDED HANDLEBAR CLAMPS

- Allows clearance for shifters, brake levers & cables.

### 2 LOWER LEG MOUNTING HOLES

- Large hole for front axle mounting

OR

- Small hole allows your bicycle dealer to mount on fork of many bicycles with quick-release front hubs



### DURABLE FINISH

- Gloss Black Polyester Powder Coated Finish provides excellent durability

(assembly instructions on back)

Mfgr.No. 198GB  
(Gloss Black)

© 1997 Wald LLC

Made in U.S.A. by Wald



**NOTE:** Loosely tighten all screws and nuts until assembly is completed.

1. Hook basket clamps over handlebar on each side of stem. (If clamping onto 7/8" portion of handlebar, insert rubber spacer strips between handlebar and clamps.) Assemble with 1 1/2" long screws and square nuts.

2. Attach top leg section (marked "WALD") to leg mounting brackets on bottom of basket with 1/2" long screws and hex nuts.


3. Adjust legs to required length with top leg section to the outside and connect top and bottom leg sections together with 1/2" long screws and hex nuts (as shown).

**NOTE:** Use end hole of each leg section and align with adjusting hole in mating leg section. Insert screw through outside of leg with nuts on the inside.

4. Remove front axle nuts only and attach lower end of each leg to front wheel axle using the larger mounting hole. Replace nuts, keeping wheel aligned as nuts are tightened.

**NOTE:** If bicycle has a quick-release front hub-- see your bicycle dealer for attachment screws and proper mounting to fork.

5. Tighten all screws and nuts securely.



**WARNING:** Failure to tighten basket leg assembly or wheel axle nuts, failure to have wheel quick-release mechanism properly adjusted, or overloading of basket, could result in loss of control and possible injuries. Please consult a bicycle dealer or your bicycle owner's manual for applicable tightening/adjusting requirements.